

## Science News

from research organizations

# Deep brain stimulation: A new treatment approach in patients with multiple sclerosis

*Date:* February 7, 2018

*Source:* Charité - Universitätsmedizin Berlin

*Summary:* A pilot study has shown that treatment with deep transcranial magnetic stimulation (dTMS) significantly reduces symptoms of fatigue in patients with multiple sclerosis (MS). The results from this research suggest that TMS is a safe option for the treatment of patients with MS.

*Share:* [!\[\]\(17413706fd4997a1a4bdf85c6864eee1\_img.jpg\)](#) [!\[\]\(f419710cbe076aa30a9c6c031b5cbe84\_img.jpg\)](#) [!\[\]\(2726020a4107bdc9042b257034f90eb3\_img.jpg\)](#) [!\[\]\(9459655bf14a84f4d775e8d814cca8c9\_img.jpg\)](#) [!\[\]\(de47dbdca34225b222a4a87ac0e499b3\_img.jpg\)](#) [!\[\]\(96827f7759894bde432c5e841bd43777\_img.jpg\)](#)

## FULL STORY

A pilot study has shown that treatment with deep transcranial magnetic stimulation (dTMS) significantly reduces symptoms of fatigue in patients with multiple sclerosis (MS). The results from this research suggest that TMS is a safe option for the treatment of patients with MS.

Up to 90 percent of people living with MS report experiencing severe fatigue. Fatigue can have a serious impact on both a person's work and social life, and leads many patients to give up work. In fact, a large percentage of people with MS rate fatigue as one of the most bothersome symptoms of the disease. Treatment options are scarce, and no licensed pharmaceutical treatments are available. In contrast, dTMS has been used in the diagnosis and treatment of a range of neurological and psychiatric disorders.

A team of researchers, led by Prof. Dr. Friedemann Paul of the NeuroCure Clinical Research Center (NCRC), has shown that dTMS, using the proprietary H-coil, a technology that allows brain stimulation three times deeper than that of standard TMS, is capable of producing significant improvements in fatigue symptoms. The severity of MS-associated symptoms was assessed using a standardized questionnaire and the Fatigue Severity Scale (FSS). 33 study participants with fatigue received thrice-weekly sessions of dTMS for a duration

of six weeks; this involves a stimulation H-coil being placed above the patient's head, which generates a magnetic field that influences nerve activity and neural circuits in the brain. A control group received a sham treatment.

"We observed no serious side effects in patients treated with dTMS, and it is therefore worth stressing the tolerability of this noninvasive electrophysiological technique," says Prof. Paul, the study's principal investigator. Further, it is also worth noting that the treatment was delivered using a new type of H-coil, which had been developed specifically for use in this study. This coil permits the targeted stimulation of areas of the brain which, according to the latest research, play a major role in MS-associated fatigue. A follow-up study involving a larger number of participants is being planned. This is intended to verify the efficacy of this treatment method, and to help ensure the implementation of dTMS for MS-associated fatigue into routine clinical practice. "We are excited about the collaboration between Prof. Dr. Friedemann Paul and his team at Charité's NeuroCure and Brainsway for studying the use of our patented Deep TMS technology for the benefit of MS patients, a new neurological field for us. These promising results of relieving the very hard to treat fatigue symptoms in MS, brings a new hope for being able to provide a solution for the many patients who need it." Says Ronen Segal, CTO of Brainsway LTD.

### Story Source:

Materials provided by **Charité - Universitätsmedizin Berlin**. *Note: Content may be edited for style and length.*

---

### Journal Reference:

1. Gunnar Gaede, Marina Tiede, Ina Lorenz, Alexander U. Brandt, Caspar Pfueller, Jan Dörr, Judith Bellmann-Strobl, Sophie K. Piper, Yiftach Roth, Abraham Zangen, Sven Schippling, Friedemann Paul. **Safety and preliminary efficacy of deep transcranial magnetic stimulation in MS-related fatigue.** *Neurology - Neuroimmunology Neuroinflammation*, 2017; 5 (1): e423 DOI: 10.1212/nxi.0000000000000423

---

### Cite This Page:

MLA

APA

Chicago

---

Charité - Universitätsmedizin Berlin. "Deep brain stimulation: A new treatment approach in patients with multiple sclerosis." ScienceDaily. ScienceDaily, 7 February 2018. <[www.sciencedaily.com/releases/2018/02/180207120619.htm](http://www.sciencedaily.com/releases/2018/02/180207120619.htm)>.

---

### RELATED STORIES

#### What Magnetic Fields Do in the Brain -- And How to Observe Brain Activity During Transcranial Magnetic Stimulation

Jan. 30, 2018 — Neuroscientists have developed a method to measure brain activity during transcranial magnetic stimulation (TMS). TMS has been under investigation for 30 years, yet we still know very little about ... [read more »](#)

#### Scientists Show How Magnetic Pulses Change the Brain in Treatment for Depressed Patients

Aug. 30, 2015 — A group of scientists have found a way of understanding how transcranial magnetic stimulation (TMS) can give relief to severely depressed patients. TMS is used as an alternative to electro-convulsive ... [read more »](#)

### Low Strength Brain Stimulation May Be Effective for Depression

July 22, 2014 — Brain stimulation treatments, like electroconvulsive therapy (ECT) and transcranial magnetic stimulation (TMS), are often effective for the treatment of depression. Like antidepressant medications, ... [read more »](#)

### 'Good Vibrations:' Brain Ultrasound Improves Mood

May 15, 2013 — Non-invasive brain stimulation techniques aimed at mental and neurological conditions include transcranial magnetic stimulation (TMS) for depression, and transcranial direct current (electrical) ... [read more »](#)

## FROM AROUND THE WEB

---

*Below are relevant articles that may interest you. ScienceDaily shares links and proceeds with scholarly publications in the TrendMD network.*

### [Partnering With Patients in the Treatment of Psoriatic Arthritis](#)

Accredited CME content, [myCME](#)

### [How Exercise Helps Control Diabetes](#)

Tim Gower, [Diabetes](#)

### [Side Effects: Stories of the 'Other Sides of HIV' Medication](#)

[HIV 1](#)

### [Evaluating the safety and efficacy of axitinib in the treatment of advanced renal cell carcinoma](#)

[Cancer Therapy Advisor](#)

### [What Are the Signs and Symptoms of Severe Eczema?](#)

[Eczema](#)

### [9 Steps for a Smooth Switch to a New HIV Provider Without Treatment Interruptions](#)

[HIV 1](#)

### [Elimination Diets and Severe Eczema: Common Mistakes to Avoid](#)

[Eczema](#)

### [The 10 Worst Mistakes You Make When Checking Your Sugar](#)

David Mendosa, [Diabetes](#)

## Free Subscriptions

---

Get the latest science news with ScienceDaily's free email newsletters, updated daily and weekly. Or view hourly updated newsfeeds in your RSS reader:

 [Email Newsletters](#)

 [RSS Feeds](#)

## Follow Us

---

Keep up to date with the latest news from ScienceDaily via social networks:

 [Facebook](#)

 [Twitter](#)

 [Google+](#)

 [LinkedIn](#)

## Have Feedback?

---

Tell us what you think of ScienceDaily -- we welcome both positive and negative comments. Have any problems using the site? Questions?

 [Leave Feedback](#)

 [Contact Us](#)

[About This Site](#) | [Editorial Staff](#) | [Awards & Reviews](#) | [Contribute](#) | [Advertise](#) | [Privacy Policy](#) | [Terms of Use](#)

Copyright 2018 ScienceDaily or by other parties, where indicated. All rights controlled by their respective owners.

Content on this website is for information only. It is not intended to provide medical or other professional advice.

Views expressed here do not necessarily reflect those of ScienceDaily, its staff, its contributors, or its partners.

Financial support for ScienceDaily comes from advertisements and referral programs, where indicated.